

VIRGINIA BIRDS

A quarterly journal of ornithological sightings in the Commonwealth published by the Virginia Society of Ornithology




Volume 15 • Number 3

Winter Records • Dec 2018-Feb 2019

Virginia Birds Regions

Cities/towns numbered on map



Virginia Birds

Editors

Bill Williams billwilliams 154@gmail.com

Louise Menges

louisemenges6@gmail.com

Regional Editors

Fred Atwood Baxter Beamer

Adam D'Onofrio

James Fox

Mary Ann Good

Clyde Kessler

Michael Lott

Adit Nehra

Janet Paisley

C. Michael Stinson

Bill Williams

VSO Officers

President

Lenny Bankester, Alexandria

Past President

Jeff Trollinger, Henrico

Vice President

Daniel Bieker, North Garden

Secretary

Phil Kenny, Vienna

Treasurer

Terri Cuthriell, Smithfield

Raven Editor

Mike Stinson, Dillwyn

Virginia Birds Editor

Bill Williams, Williamsburg

Newsletter Editor

Cindy Baker, Williamsburg

Membership Secretary

Shirley Devan, Williamsburg

VSO Board of Directors

Terms expire 2019

Bill Williams, Williamsburg Lesley Bulluck, Richmond Laura Neale, Rockbridge County

Terms expire 2020

Rexanne Bruno, Williamsburg Ashley Peele, Blacksburg Leonard Smock, Richmond

Terms expire 2021

Patti Reum, Highland County Cheryl Jacobson, Williamsburg Open

Submissions

Send reports and photographs to the Regional Editors. Photographs should be the highest electronic quality possible. Send with release form, which can be found on the VSO web site:

http://www.virginiabirds.org/publications/photography-release-forms/Articles for consideration can be sent to billwilliams154@gmail.com.

Season Reports due to Regional Editors

Fall (Aug-Nov) 15 Dec Winter (Dec-Feb) 15 Mar Spring (Mar-May) 15 Jun Summer (Jun-Jul) 15 Aug

Terms and Abbreviations

Species name in **bold** first time mentioned (VARCOM Review Birds **BOLD CAPS**); county names are in *italics*.

Abbreviations

ad. (ads.) adult(s)

BBS Breeding Bird Survey **CBC** Christmas Bird Count

Cr. Creek et al. and others f. female fide vouched by FOS First of Season

Ft. Fort

Gold Book Virginia's Birdlife, An Annotated Checklist. Virginia Avifauna No. 7, Fourth Edition, 2007.

Hwy. Highway Is. Island(s), Isle(s) imm. (imms.) immature(s) junction junc. juv. (juvs.) juvenile(s) L. Lake Ln.

MAPS Monitoring Avian Productivity and Survivorship

m.

m. obs. many/multiple observers Mountain, Mount Mt. NAP Natural Area Preserve

Lane

NP National Park

NWR National Wildlife Refuge photographed by (initials) ph.

Pk. Park Pt. Point R. River Rd. Road Res. Reservoir RP Regional Park

Route Rte. SF State Forest SP State Park

Virginia Avian Records Committee VARCOM

VDGIF Virginia Department of Game and Inland Fisheries

voice recording v. r. video recording vid. r.

VSO Virginia Society of Ornithology **WMA** Wildlife Management Area

specimen collected

On the cover: Virginia's first Mottled Duck identified from this photo taken at Craney Island, Portsmouth by Brian Taber 14 Jun 2018.

Virginia's First Mottled Duck

Identification and conclusive documentation of an extra-limital Mottled Duck is far from a straight forward exercise. This species is less than eye-catching, and even in its native range, although not difficult to find, is cryptic. As Brian Taber's photograph featured on the front cover of this *Virginia Birds* edition illustrates, Mottled Ducks present an enigmatic and challenging-to-observe suite of subtleties that includes: bill color, gape, facial color and patterning, extent of crown and eyeline colors, neck color and streaking, color and distribution of color of the flight feathers, especially the speculum and tertials, wing length proportion, color and shape of the rectrices, and color of the undertail. To add to these complexities one must also differentiate individuals in question from Mallard × Mottled Duck hybrids, Mallard × American Black Duck hybrids, and the highly unlikely, nevertheless possible, "Mexican" Mallard and/or "Mexican" Mallard × Mottled Duck hybrids.

Announcement of the Craney Island Mottled Duck was postponed at the specific request of the United States Army Corps of Engineers, the federal agency that owns and manages this restricted access facility. Because this was a potential state record species the documentation also needed to be formally vetted by the Virginia Avian Records Committee.

A detailed account of this Mottled Duck, Virginia's 473rd species, has been submitted for publication in a forthcoming edition of *The Raven*.

The article below is highly recommended as a starting point for all birders interested in exploring the intricacies of Mottled Duck identification and documentation.

Leukering, T. and B. Pranty. 2015. Mottled Duck hybridization. eBird, Cornell Lab of Ornithology, Ithaca, New York. Available: http://www.ebird.org.

Bill Williams



Regional Reports



Editors: Michael Lott

1729 Jefferson Davis Hwy. P.O. Box 339 Stafford, VA 22554 michael.lott@dcr.virginia.gov Mary Ann Good 18280 Lincoln Rd. Purcellville, VA 20132 magood1@verizon.net

Arlington, Culpeper, Fairfax, Fauquier, Loudoun, Madison, Prince William, Rappahannock, and Stafford counties; the cities of Alexandria, Fairfax, Falls Church, Manassas, and Manassas Park

Above normal rainfall continued through the winter season. Temperatures were at or above average for the period, with a frigid spell in late January, which drove winter waterfowl south into the Region. Highlights this season included the Northern Shrike that spent the third consecutive winter and the rare irruption of Evening Grosbeaks into the Region.

Abbreviations: Burke L. Pk. (Burke L. Pk., Fairfax); Dulles Int'l Airport (Dulles Int'l Airport, Loudoun); Dyke Marsh (Dyke Marsh Wildlife Preserve, Fairfax); Huntley Meadows (Huntley Meadows Pk., Fairfax); Laurel Hill Equestrian Center (Laurel Hill Equestrian Center, Fairfax); Occoquan Bay (Occoquan Bay NWR, Prince William); Prince William Landfill (Prince William Landfill, Prince William); UOSA (Upper Occoquan Service Authority sewage treatment plant, Fairfax)

Christmas Bird Counts: CLCBC (Central Loudoun, 28 Dec); DCCBC (Washington DC, 15 Dec); FBCBC (Ft. Belvoir, 30 Dec); PCBC (The Plains, 16 Dec)

WATERFOWL-HERONS

Single Ross's Geese, a rare bird in the Piedmont, were observed at Northern Virginia Community College, Loudoun 8–13 Dec (ph. DLed, m. obs.), along Willisville Rd., Loudoun 1 Jan (ph. SPr), a couple mi. w. near Upperville, Fauquier 2 Jan (ph. AR, EK), and near Myer's Mill Rd., Culpeper 16 Feb (TD). Reports of Greater White-fronted Geese, formerly a rare winter visitor in the Region, included likely the same individual found at nearby ponds along John S. Mosby Hwy., Fauquier 30 Dec (LA) and 2 Jan (ph. AR, EK), 2 at the

Clifton Institute, Fauquier 30 Jan & 21 Feb (ph. BHa, BS), and one at Belvoir Pond, Fauquier 27 Feb (TD). Cackling **Geese** similarly have become more frequent winter visitors in the Region; reports included highs of 5 along Willisville Rd., Loudoun and 6 likely different individuals shortly afterwards about 2 mi. n. along Piney Swamp Rd., Loudoun 2 Jan (both ph. AR), 6 at the UOSA 5-26 Jan (DM), and 7 at Ben Lomond RP, Prince William 26 Jan (ph. RT). A Blue-winged Teal, rare in winter in the Region, was seen at the UOSA 3-5 Feb (ph. RT). Reports of Redheads, a rare winter visitor in the Piedmont, included 6 at ponds in Ashburn, Loudoun 21 Jan (SPa), an undetermined number at the UOSA 2 Feb (DM), and a raft of 70+ at the New Bristow Village pond, Prince William 10 Feb (MR). There were numerous reports of **Greater Scaup**, a rare winter visitor inland, including singles at the Verizon pond, Loudoun 24 Dec (AG, ph. BHe) and 10 Feb (JE), L. Brittle, Fauquier 10 Jan & 6 Feb (GS), C.M. Crockett Pk., Fauquier 23 Jan (TD), Elizabeth Mills Waterfront Pk., Loudoun 31 Jan (PN), Algonkian RP, Loudoun 13 Feb (ph.



Scott Priebe's 1 Jan photo of the Ross's Goose in Upperville, Fauquier

DB), Aquia Landing Pk., Stafford 16 Feb (EM), and Belvoir Pond, Fauquier 27 Feb (GS). A White-winged Scoter was observed at Burke L. Pk. 30 Jan (FA). Lone Long-tailed Ducks were found at Burke L. Pk. 2 Feb (DLeb) and Silver L. RP, Prince William 4-16 Feb (TH, ph. KK). Three Red-breasted Mergansers were found near L. Manassas during the PCBC. A Red-necked Grebe was observed at Int'l Conservation House, Fauquier 9-10 Dec (ph. PSa); this species is rare, especially in the Piedmont, where most reports are in late winter and early spring. A Sora, fairly rare in winter, was observed at Huntley Meadows 18 & 22 Jan (BM). Two Sandhill Cranes again spent most of the winter in Loudoun, seen at Algonkian Nature Preserve 24 Dec (BHe) and 17 Feb (EM) and in the Lucketts area 25 Jan (ph. RP). An American Woodcock, fairly rare in winter in the Piedmont, was seen in courtship display along Leeds Manor Rd., Fauguier 5 Jan (BHa). A Greater Yellowlegs at Julie J. Metz Wetlands Bank, Prince William 10 Dec (MR) was later than the 20 Nov Coastal Plain late date. Lone Laughing Gulls, a rare visitor to the Piedmont in winter, were observed at the Prince William Landfill 5 Jan (EP) and 2 Feb (ph. SJ). A first-cycle Iceland Gull was observed at the Prince William Landfill, where the species is a rare but regular winter visitor, 22–23 Dec (ph. MR) and 12 Jan (PP); another first-cycle was at the Loudoun Co. landfill, Loudoun (CLCBC). Fairly rare in the Piedmont was a Lesser Black-backed Gull reported at the Lowes Island ponds, Loudoun 26 Feb (DC). An ad. Glaucous Gull was at the Prince William Landfill, where this species also is a rare but regular winter visitor, 9 Dec-3 Jan (ph. LC, m. obs.), joined on 3 Jan by a first-cycle. A first-

cycle was seen there again 26 Jan (KG). Nine Red-throated Loons, quite rare inland, were reported at Belle Haven Pk., Fairfax 28 Feb (RC, TC). An American Bittern, a species with few records in Stafford, was seen at Crow's Nest NAP 2 Feb (ph. EP). Reports of Great Egrets, also a rare winter visitor inland, included singles in the n. Alexandria sector of the DCCBC; at Alder L., Loudoun 12 Jan (ph. JE); and along Zachary Taylor Hwy., Culpeper 28 Feb (CH) (24 Mar is the spring early date). An imm. Little Blue Heron, a rare winter visitor inland and

the first record in *Stafford*, was observed at Government Is. Pk. 8–11 Jan (JSc, ph. DLed). A **Green Heron**, a rare early winter visitor in the Piedmont, first observed 22 Oct at Ashby Pond Conservancy Site, Fairfax City, continued through 19 Dec (m. obs.). Singles were also observed at L. Mooney Pk., *Stafford* 6 Dec (ph. JeP) and Royal L. Pk., *Fairfax* 27 Dec (ph. P&JW). Three **Black-crowned Night-Herons** were seen at Ben Brenman Pk., Alexandria, a traditional winter hang-out for multiples of this fairly rare wintering species for the past five winters, 31 Dec–1 Jan (DLed).

RAPTORS-MIMIDS

Single Golden Eagles were reported at L. Brittle, Fauquier 12 Jan (GS) and Mountain Run L. Pk., Culpeper 3 Feb (DH). There were a couple of apparent sightings of Northern Goshawk: at Int'l Conservation House, Fauquier 6 Jan (PSa) and along Cemetery Rd., Fauquier 16 Jan (GS). A typ. ad. "Northern" Red-tailed Hawk (Buteo jamaicensis abieticola), a distinctive subspecies that is not uniformly recognized as separate from the Eastern subspecies, was reported at Dulles Int'l Airport 2 Jan (m. obs., ph. CF); interestingly, one was reported there 28 Dec the previous winter. A dark morph Rough-legged Hawk was reported at Dulles Int'l Airport 14 Dec (GR); a light morph was there 12 Jan (FA). A probable Rough-legged was seen perched at Mason Neck NWR, Fairfax 30 Dec (RR). Kurt Gaskill, in summing up the FBCBC, noted the long-term trend in the switch of buteo abundance from Red-tailed to Redshouldered Hawks beginning about 14 years ago, positing that it is likely due to the increase in the suburban landscape

> footprint. There was a single report of an imm. Snowy Owl distantly seen at Dulles Int'l Airport 14 Dec (GR). Said to be rare winter visitors in the Piedmont, there were numerous reports of Merlins, including 3 perched in the same tree, chased away by 3 Red-tailed Hawks, at National Memorial Park Cemetery in Falls Church, Fairfax 17 Dec (DLed), and singles on the PCBC; along Rt. 66 in Centreville, Fairfax 23 Dec (SM); in Vienna, Fairfax 23 Dec



This American Bittern was photographed by Evan Pannkuk at Crow's Nest NAP 2 Feb.

(DLeb); in the Lucketts area, Loudoun 30 Dec (ph. LM); Elklick Woodlands NAP, Fairfax 26 Jan (SJ); Cub Run Recreation Center, Fairfax 8 Feb (SJ); and Burke L. Pk. 13 Feb (JT). Reports of **Peregrine Falcons**, a rare winter visitor inland, included a first-year bird near the McRaes Rd. pond, Fauquier 21 Dec (ph. DLa); an ad. near the Luck Stone quarry, Loudoun 14 Jan (ph. GL), with reports through 18 Feb, including a pair seen there 30 Jan (PN); an ad. on Hebron Church Rd., Madison 14 Jan (IT); an ad. at Maples Field Airport, Fauquier 14 Jan (KG, DLed); and an ad. at Occoquan Bay 3 Feb (ph. AM). The NORTHERN SHRIKE returning for the third winter to Sully Woodlands, Fairfax 3 Nov continued throughout the season (ph. m. obs.); it also spent some time at nearby Rock Hill District Pk., Fairfax and disappeared to an unknown location for long stretches. A Blue-headed Vireo, a rare winter visitor in the Region, was well-ph. at Claude Moore Pk., Loudoun 3 Dec (SR) (Piedmont late date 30 Oct). Late or wintering Tree Swallows included singles at C.M. Crockett Pk., Fauquier 6-8 Dec (GS) and along Piney Swamp Rd., Loudoun 2 Jan (AR). There was also a rare winter report of a well-described Northern Rough-winged Swallow at the UOSA 5 Jan (DM). Carolina Chickadees were in record low numbers on the CLCBC at 126, coming after last year's 10-year low of 321. Similarly, **Tufted Titmice**, at 57, were just over half of the previous 20-year low. By contrast, Red-breasted Nuthatches saw a record high of 98 on the FBCBC. A Brown-headed Nuthatch (first reported 19 Sep, 2017) spent the second winter at Mountain Run L. Pk., Culpeper, first seen 2 Dec (KK). A Marsh Wren, fairly rare this far inland in winter, was observed at Aquia Landing Pk., Stafford 13 Feb (JeP, JoP). Also a rare winter visitor in the Region was a Blue-gray Gnatcatcher, well-ph. at Occoquan Bay 4 Dec (JA) (Coastal Plain late date 20 Sep). Fairly rare in the Piedmont in winter was a Brown Thrasher seen at a residence near Madison Mills, Madison 17 Feb (anon. eBirder). Gray Catbirds, rare inland in winter, made several appearances: at Occoquan Bay 9 & 26 Dec (MR) and again 2 & 10 Feb, Huntley Meadows 18 Dec (HG), and Daingerfield Island, Alexandria 26 Jan (EW). There were a record high 10 Gray Catbirds found on the FBCBC.

GROSBEAKS-BUNTINGS

There were numerous reports this season, all in December, of **Evening Grosbeaks**, a rare irruptive species in the Region. They included singles at residences near Ruth, *Madison* 6 Dec (ph. IT) and Fairfax Station, *Fairfax* 9 Dec (ph. TA), 2 at a residence near Brentsville, *Prince William* 11 & 29

Dec (ph. DG), and 3 at a residence near Buckhall, *Prince William* 25 Dec (ph. CC).



This Evening Grosbeak was documented by Tony Admana 9 Dec at Fairfax Station, *Fairfax*.

Not often found this far south was a Common Redpoll seen at Dyke Marsh 24 Dec (ph. EE). A Lapland Longspur, rare in the Region, was observed at Woodward Turf Farm, Fauquier 15–17 Jan (TD, ph. IT). Reports of Chipping Sparrows, rare in winter, included 3 at Sky Meadows SP, Fauquier 17 Feb (S&TW) and singles at Powers Farm and Brewery near Casanova, Fauquier 17 Feb (JSo) and at a residence on Summerfield Hills Dr., Fauquier 21 Feb (GW). A Clay-colored Sparrow, first observed 9 Nov, spent the second winter at Laurel Hill Equestrian Center, continuing at least through 17 Feb (ph., m. obs.).



Gene Bailey's Clay-colored Sparrow photo taken at the Laurel Equestrian Center, Fairfax 21 Jan

Single Lincoln's Sparrows, a rare winter visitor in the Region and usually not past early winter in the Piedmont, were observed at Muddy Hole Farm Pk., Fairfax 4 Jan (KG), Occoquan Bay 15 Jan (ph. BC), Elklick Woodlands NAP, Fairfax 26 Jan (SJ), and Silver L. RP, Prince William 26 Jan (RT). A very rare inland visitor in winter, a Yellowbreasted Chat was well-ph. at Accotink Bay Wildlife Refuge, *Fairfax* 3–9 Feb (MM). Several **Baltimore Orioles** braved the early winter: an imm. m. at a residence in Reston, Fairfax 7-8 Dec (ph. OL), one at a residence in Lake Ridge, Prince William 8 Dec (KB), an imm. m. and imm. f. together at Laurel Hill Equestrian Center 12 Dec (NVBC, ph. MR), and one that spent much of late Dec at a residence in Lincoln, Loudoun (CLCBC). A lingering hatch-year Tennessee Warbler was seen at Dyke Marsh 12 & 16 Dec (ph. EE) (Regional extreme late date 21 Nov). Rare in winter inland was an Orange-crowned Warbler seen at Dyke Marsh 9–26 Dec (DS, m. obs., ph. EW). Single imm. **Common Yellowthroats**, a fairly rare winter resident in the Region, were observed at Occoquan Bay 1 & 9 Dec (MR) and again 3 Feb (AM) and Huntley Meadows 5 Dec-12 Jan (BJ, ph. MM). Two Common Yellowthroats were observed at L. Mooney Pk., Stafford 6 Feb (JeP) and a single at Jones Pt. Pk., Alexandria 12 Feb (SF). A Cape May Warbler, a species with few winter records in the Region, was seen at Raspberry Falls Golf & Hunt Club, Loudoun (CLCBC, ph. RT). Reports of **Palm Warblers**, most of whose rare winter sightings in the Piedmont occur in early winter, included singles at the Culpeper Sports Complex, Culpeper 3 Dec (KK), Meadowood Recreation Area, Fairfax 5 Dec (PSi), and Laurel Hill Equestrian Center 9 Dec (ph. BHo); the latter lingered through 8 Feb (m. obs.). A Pine Warbler, rare in the northern Piedmont in winter, was seen at Banshee Reeks Nature Preserve, Loudoun 8 Dec (JC). A lingering Wilson's Warbler, whose extreme late date in the Coastal Plain is 27 Nov, was seen at Four Mile Run Pk., Alexandria 2 Dec (ph. TK). An **Indigo Bunting**, a species with few winter records in the Region, was seen at Algonkian RP, Loudoun 21 Dec (ph. BHe).

Contributors: Tony Admana, John Aleknavage, Logan Anderson, Anonymous eBirder, Fred Atwood, Gene Bailey, Karen Bell, Douglas Burkett, Rob Cahill, Tara Cahill, Cynthia Cariens, Linda Chittum, Joe Coleman, Ben Collins, Dave Czaplak, Todd Day, Edward Eder, Jim Emery, Conor Farrell, Sean Furmage, Allison Gallo, Kurt Gaskill, Harry Glasgow, David Govoni, Tobin Hardwick, Bert Harris (BHa), Caroline Heald, Bryan Henson (BHe), Bill Hohenstein (BHo), Dianne Holsinger, Ben Jesup, Stephen Johnson, Eric Kershner, Todd Kiraly, Kelly Krechmer, Olivier Langrand, Dave Larsen (DLa), Daniel Lebbin (DLeb), Graham Lederer, David Ledwith (DLed), Michael Mayer, Beth McClelland, Larry Meade, Stuart Merrell, Deapesh Misra, Elton Morel, Alexandra Munters, Paul Nawrot, Northern Virginia Bird Club (NVBC), Evan Pannkuk, Robert Parsons, Scott Patterson (SPa), Paul Pisano, Jeffrey Posner (JeP), Joan Posner (JoP), Scott Priebe (SPr), Andrew Rapp, Stephanie Reavley, Marc Ribaudo, Gabriel Ricketts, Rich Rieger, Paul Salaman (PSa), Jeffrey Schnebelen (JSc), Phil Silas (PSi), Greg Slader, Dixie Sommers, Jason Sosebee (JSo), Byron Swift, Jean Tatalias, Russell Taylor, Ian Topolsky, Ed Wallace, George Wallace, Saundra & Tom Winstead, Paul & Joan Woodward



Editor: Clyde Kessler P.O. Box 3612

Radford, VA 24141 ckessler@vt.edu

Alleghany, Augusta, Bath, Botetourt, Clarke, Craig, Frederick, Giles, Highland, Montgomery, Page, Pulaski, Roanoke, Rockbridge, Rockingham, Shenandoah, and Warren counties; the cities/towns of Blacksburg, Buena Vista, Clifton Forge, Covington, Harrisonburg, Lexington, Radford, Roanoke, Salem, Staunton, Waynesboro, and Winchester

Abbreviations: Blandy (Blandy Experimental Farm and State Arboretum of Virginia, *Clarke*)

Christmas Bird Counts: ACCBC (Augusta County, 15 Dec); BCBC (Blacksburg, 15 Dec)

WATERFOWL-GULLS

Snow Goose reports included one in Luray, *Page* 16 Dec (MA, JF) and 6 Jan (ST), 4 at Stuarts Draft, Augusta 21 Dec (AL), one in Rockbridge 29 Dec (LN), 22 (m. obs.) & 24 Jan (KK), 2 at Smith L., Augusta 24 Jan (AL), 2 at White's L., Frederick 9 Feb (DB, WP), and one at Abrams Cr. Wetland Preserve, Frederick 10 Feb (GR). Single Ross's Geese were at Stuarts Draft, Augusta 21 Dec (ph. AL) and at Greenfield L., Botetourt 21 Jan (BE, DG, MJ). Two Greater White-fronted Geese were at L. Shenandoah and later at L. Campbell, Rockingham 17 Jan (MG, DL), 3 in Augusta 24 Jan (EC et al.), and 23 in Dublin, Pulaski 24–28 Feb (m. obs.). **Cackling Goose** sightings included 5 at L. Shenandoah, Rockingham 2 Dec (m. obs.), one in Clarke 21 Dec (MA, DC), one near Mt. Crawford, Rockingham 26 Dec (CZ), 2 in Clarke 2 Jan (m. obs.), 2 at Lakeside L., Frederick 5 Jan (GR, DY), one in Harrisonburg 14 Jan (MG), one at L. Holiday, Frederick 14 Jan (GR), 8 near Waynesboro 2 Feb (AL), 2 in Rockbridge 9 Feb (MA, EC, JF), and 6 at Smith L., Augusta 22 Feb (AL). Seven Tundra Swans were at Willow L., *Rockbridge* 13 (AP) & 15 Dec (JP), 16 there 31 Dec (LN) and 1 Jan (BE, MJ), one at L. Frederick, Frederick 19 Dec (DHu), and 26 flying over Claytor L., Pulaski 26 Feb (MM). Many Northern Shovelers were observed from early Dec thru Jan at Broadway Wastewater Treatment Facility, Rockingham, with a high count of 301 on 12 Jan (DH). The only **Surf Scoter** report was of one to 3 at L. Frederick, Frederick 1–29 Dec (m. obs.). A Whitewinged Scoter was photographed at Claytor L., Pulaski 24 Feb (m. obs.), and one was at Willow L., Rockbridge 27 Feb (EC, LR). One to 2 Black Scoters were seen on

the Maury R., Rockbridge 14 (MH) &15 Feb (m. obs.). **Long-tailed Duck** reports included one seen frequently at L. Frederick, Frederick 1 Dec-16 Jan (m. obs.) and 10 Feb (DB), one at L. Arrowhead, Page 16 Dec (MA, JF), one at Broadway Wastewater Treatment Facility, Rockingham 3 & 11 Jan (MG), one in Radford 2 Feb (ph. KD), and one in Verona, Augusta 2–16 Feb (m. obs.). One hundred twentynine **Common Mergansers** were observed in *Rockingham* 27 Jan (MG). The only **Northern Bobwhite** report was 8 found at Third Winchester Battlefield, Frederick 9 Dec (DGm). Twelve **Horned Grebes** were found at Claytor L., Pulaski 7 Dec (m. obs.), and 17 at L. Moomaw, Alleghany 29 Dec (AD, KD). A WHITE-WINGED DOVE visited feeders at Claytor L., Pulaski 1-22 Dec (MM et al.). An ad. m. **Rufous Hummingbird** was present 1–18 Dec in Augusta (BH). It had been banded in November by Bruce Peterjohn. A Sandhill Crane was at Whitethorne, Montgomery 8 Dec (ph. PL); 4 were in Fishersville, Augusta 22 Dec (TF), 2 in Verona, Augusta 14 Feb (m. obs.), and one was photographed 23–25 Feb in Rockingham (m. obs.). A **Spotted Sandpiper** was at the Broadway Wastewater Treatment Facility, Rockingham 18 Jan (DH). Large flocks of Ring-billed Gulls were present all winter at Claytor L., Pulaski, with a peak count of about 10,000 observed 5 Feb (TW). A **GLAUCOUS GULL** was photographed at Claytor L., Pulaski 16 Feb (m. obs.), for a second county record.

HERONS-WARBLERS

A Great Egret was at Willow L., *Rockbridge* 2 Dec (PW). Single Black-crowned Night-Herons were noted at Dayton, *Rockingham* 13 Dec and 17 Jan (GMo), in Waynesboro 23 Dec (HH) and 6 Jan (EC), and at Silver L., *Rockingham* 2 Feb (DH). An Osprey was found at Goldbond, *Giles* 4 Dec (RM) and one was in Stuarts Draft, *Augusta* 15 Feb (BT). Rough-legged Hawk sightings included one in *Rockingham* 21 Jan (DH), one in *Augusta* 25 Jan (DH), one in Blue Grass Valley, *Highland* 5 Feb (VL, GM), and one

near Greenville, Augusta 13 Feb (DH). Single Short-eared Owls were found near Stone Bridge, Warren 11 (DC) & 26 Dec (ER), and 2 Jan (CC, ER), along the Shenandoah R., Warren 17 Dec (GJ), and in Staunton 1 (BB, TB, MN), & 8 Jan (CH). Two Monk Parakeets were documented near Lexington, Rockbridge 8 Jan (ph. DR); they had been present there for a couple of weeks before that. A SAY'S **PHOEBE** was in *Rockbridge* 10 (KK) through 13 Feb (AL). A **Loggerhead Shrike** was seen frequently in *Clarke* 5 Dec to 28 Feb (m. obs.). Elsewhere, singles were in Staunton 23 Dec (VL) to 16 Feb (PW), Harrisonburg 28 Dec (DE), Highland 4 Jan (JS), and near Stone Bridge, Warren 12 Jan (SK). Horned Lark reports included 127 at Swoope, Augusta 11 Dec (AL) and 142 there 23 Dec (VL), 120 on the BCBC, 80 at Mt. Crawford, Rockingham 12 Dec (WB), 74 in Rockingham 8 Jan (MG), 45 at Blacksburg 9 (GRh) & 13 Jan (ALi, GRh), 70 at Whitethorne, Montgomery 12 Jan (RM), 75 at Timberville, Rockingham 12 Jan (DH), and 41 near Weyers Cave, Augusta 19 Jan (DH). Up to 6 Brown-headed Nuthatches were seen in Dublin, Pulaski 6 (GRh) & 8 Dec (ph. XG). There were 2 photographed at Blue Ridge, Botetourt 11 Jan (BE), 2 seen in Roanoke City 23 Jan (KC), and 2 near Hollins, Roanoke 16 Feb (KP). A Marsh Wren wintered at Blandy (m. obs.); 2 were listed there 26 Dec (DCs) and 4 Jan (DS et al.). Eighty American **Pipits** were found in *Rockingham* 8 Dec (MG), 25 at New Market, Rockingham 2 Feb (DH), 20 at Blandy 4 Feb (DC), and 35 in Fairlawn, Pulaski 24 Feb (DP, SP). Four **Evening Grosbeaks** visited feeders at Falls Ridge Preserve, Montgomery 11 Dec (CCy). Subsequent reports included 2 at feeders in Pulaski 21 & 22 Dec MM), up to 6 seen frequently in the Union Springs L. area, Rockingham 18 Dec

through Feb (m. obs.), 2 in Shenandoah NP, Page 10 Feb (GM), one in Blacksburg 13 Feb (LA, CK), and 2 near Warm Springs, *Bath* 26 Feb (LD). High counts of Purple Finches were 23 at L. Frederick, Frederick 16 Jan (WP) and 15 at Union Springs, Rockingham 18 Feb (CF). A Common Redpoll noted in Bath 27 Jan (PR) remained through at least 11 Mar (TP, ph. MS). A Red Crossbill was found on Johns Cr. Mt., Craig 18 Feb (TWi), the only report outside of the Briery Branch/Rawley Springs/Switzer L. area of *Rockingham*. Sightings from there included 9 at Rawley Springs (MG) and 18 at Briery Branch 8 Dec (EP), then 13 on 30 Dec (DBu). **Pine Siskin** peak counts were 25 in Staunton 15 Dec (SH), 56 at L. Holiday, Frederick 28 Jan (GR), 45 at Union Springs, Rockingham

15 Feb (BB, MN), and 22 in Bridgewater, Rockingham 28 Feb (WB, RP). A Lapland Longspur was observed in Rockingham 15 Jan (MG) and 3 were at the Weyers Cave Airport, Augusta 19 Jan (DL, GMo). An American Tree **Sparrow** was seen near Front Royal, *Warren* 21 Dec (KF); one was near Stone Bridge, Warren 29 Dec (DCh, MC, TC), and 8 were at Blandy 2 Jan (m. obs.). A Baltimore Oriole visited a feeder near Springwood, Botetourt 18 Feb (ph. BBo). Higher tallies of Rusty Blackbirds included 50 near Winchester 6 Jan (DT) and 175 at Fishersville, Augusta 29 Jan (AL). Two Brewer's Blackbirds were seen at Fishersville, Augusta 29 Jan (AL). An Ovenbird with an apparent growth on its bill was photographed in Rockbridge 3 Dec (WR). This bird had also been seen in November. An **Orange-crowned Warbler** was at Blandy 5 Dec (DB, GH, MR) and 6 Dec (DC). A Common Yellowthroat was seen at Grand Caverns Regional Pk., Augusta 14 Dec (HH). A Black-throated Blue Warbler was found in Staunton during the ACCBC.

Contributors: Logan Anderson, Matt Anthony, Baxter Beamer, Tucker Beamer, William Benish, Dave Boltz, Becky Bondurant (BBo), Douglas Burkett (DBu), David Carr, Elaine Carwile, Donald Casavecchia (DCs), Drew Chaney (DCh), Monica Chaney, Tim Chaney, Eric Chapman, Katherine Clemo, Glen Criser, Chris Crowe, Carol Croy (CCy), Kent Davis, Larry Davis, A. Downing, Bob Epperson, Daniel Errichetti, Conor Farrell, Tish Folsom, James Fox, Matt Gingerich, Xavier Gitre, Doug Graham (DGm), Dick Grubb, Mary Harrington, Gerry Hawkins, Stanley Heatwole, Coalter Holberg, Diane Holsinger, Derek Hudgins (DHu), Bonnie Hughes, Huck



The Bath Common Redpoll documented here by Glen Criser 6 Mar

Hutchens, Mark Johnson, Greg Justice, Seth Kellogg, Clyde Kessler, Kieran Kilday, Allen Larner, Victor Laubach, Phil Lehmann, Diane Lepkowski, Aylett Lipford, BJ Little, Jon Little, Gabriel Mapel, Ryan Mays, Greg Moyers (GMo), Mark Mullins, Laura Neale, Martina Norstrand, John Pancake, Evan Pannkuk, William Parkin, Kristin Peckman, Tom Pendleton, Doug Pfeiffer, Sally Pfeiffer, Andrea

Popick, Robyn Puffenbarger, Liz Reed, Garrett Rhyne (GRh), Marc Ribaudo, Wendy Richards, Gabriel Ricketts, Glen Riser, Peter Robinson, Dick Rowe, Erica Royer, Mike Smith, Dixie Sommers, John Spahr, Brenda Tekin, Shea Tiller, D. Tucci, Penny Warren, Terry Westmoreland, Tom Wieboldt, David Youngblood, Charles Ziegenfus.



Editor: James Fox

75 Aspen Ln Front Royal, VA 22630 jmsfox@gmail.com

Bland, Buchanan, Carroll, Dickenson, Floyd, Grayson, Lee, Russell, Scott, Smyth, Tazewell, Washington, Wise, and Wythe counties; the cities/towns of Abingdon, Bristol, Galax, Norton, and Tazewell

With the exception of a few cold snaps, this winter averaged warmer than usual with an above average amount of precipitation. These storms caused several small fallouts of waterfowl in the Region. The warmer weather allowed a few species to linger much later than normal as well.

WATERFOWL-HERONS

The only report of **Snow Goose** was 3 birds off Peppers Ferry Rd., Wythe on 15 Feb (JL). A Ross's Goose seen throughout Tazewell this winter was first observed 15 Jan at the Historic Crab Orchard Museum (CD); it later moved to Taylor's Mill Pond where it was seen until the end of the period (m. obs.). Three **Tundra Swans** spent the entire winter in Burke's Garden, Tazewell; first seen 4 Dec, they continued through the end of the period (m. obs.). The snowstorm on 10 Dec caused a nice fallout of ducks at Falls Mills L., Tazewell. Highlights included 9 Redheads, one Lesser Scaup, 3 Ruddy Ducks, 12 Red-breasted Mergansers, and one Horned Grebe (CD). The day before this, 9 Dec, 3 Lesser Scaup, 3 Buffleheads, and a Horned Grebe were on a pond in Lebanon, Russell (JT), probably grounded by the same storm. This was a fairly good winter for Canvasbacks, with single birds reported at Falls Mills L., Tazewell 12-26 Jan (CD) and at Saltville, Smyth 19 Feb (ph. R&MF). More notable was a flock of 13 at the Seven Springs Trout Pond, Tazewell 31 Jan-2 Feb, with a single bird lingering there until 6 Feb (CD). There were two Greater Scaup reports: 3 at Britt's Pk., Tazewell 11 Feb (ph. CD) and a single bird at Breaks Interstate Pk., Dickenson 18 Feb (ph. R&MF). In addition to the birds seen in the fallout in early December there were three other Lesser Scaup reports: one at Peppers Ferry Rd., Wythe 15 Feb (JL), 2 at Burke's Garden, Tazewell 18 Feb (DS), and another at Falls Mills L., Tazewell 26 Feb (CD). The only reports of Common Goldeneye came from Tazewell, where 2 were seen at Cavitt's Creek Pk. 21 Jan (CD) and up to 3 were seen at William Willis Peery Mill Pond 22 Jan-4 Feb (ph. CD). Three Horned Grebes at Cavitt's Creek Pk., Tazewell 7 Dec (GR, LA, m. obs.), was a good count for the Region. The only sighting of Eurasian Collared-Dove came from the known population at Meadowview, Washington where 4 were seen 27 Dec (ph. AN). The only Common Loon was at Lincolnshire Pk., *Tazewell* 3–16 Feb (m. obs., ph. C&VR). A single **Double-crested Cormorant**, fairly unusual in the Region in the winter, was found at Falls Mills L., Tazewell 14 Dec (CD). A Black-crowned Night-Heron was seen at the Clear Creek Golf Club, Bristol, a traditional wintering location for this species, 30 Dec (MS).

RAPTORS-GROSBEAKS

There were several reports of **Golden Eagles**, all from *Tazewell* and *Russell* as usual. As many as 6 were reported in Burke's Garden, *Tazewell* from 7 Dec until the end of the period, along with records of single birds from Elk Garden, *Russell* 26 Jan (DO), Clifton Farm Rd., *Russell* 26 Jan (M&JA), The Cove, *Tazewell* 15 Feb (ph. CD)

and 19 Feb near Thompson Valley, *Tazewell* (ph. R&MF). Two Rough-legged Hawks were seen in Burke's Garden, *Tazewell* 9 Feb (MG). A Merlin was in Elk Garden, *Russell* 26 Feb (DS). A Peregrine Falcon was in Burke's Garden, *Tazewell* 3 Feb (JS). Two Loggerhead Shrikes were reported at Burke's Garden, *Tazewell* 3 Dec (JP); single birds were also reported at the same location 7 Dec (ph. LA, GR, m. obs.) and at Indian Run Rd., *Washington* 27 Dec (ph. AN). Brown-headed Nuthatches continued to be seen at Washington County Pk., *Washington*, the species' one foothold in the Region, with reports of up to five 18–22 Jan (m. obs.). Purple Finches were seen throughout the Region in good numbers; the high count was 11 at Compton Mt., *Buchanan* (RM) 20 & 29 Jan.

There were several reports of **Pine Siskins** as well but no reports of more than 3 birds. A **Baltimore Oriole** visiting a feeder in Clintwood, *Dickenson* 6–21 Jan (ph. SW) provided the first eBird winter record in the Region for this increasing winter visitor. A young m. **Rose-breasted Grosbeak** found on private property in *Lee* 7–25 Dec (ph. DW) was another first winter eBird record for this Region.

Contributors: Michael & Judy Altizer, Logan Anderson, Clancy Deel, Ron & Marie Furnish, Mara Grossman, Jeff Lemons, Roger Mayhorn, Adrianna Nelson, Daryl Owens, Jim Phillips, Chuck & Veronica Ratliff, Garrett Rhyne, Judi Sawyer, David Schlabach, Michele Sparks, Jane Thornhill, Danielle White, Susan Wilder



Editor: C. Michael Stinson

437 Wildflower Lane Dillwyn, VA 23936 myrmecocichla@gmail.com

Amelia, Appomattox, Brunswick, Buckingham, Charlotte, Cumberland, Dinwiddie, Franklin, Greensville, Halifax, Henry, Lunenburg, Mecklenburg, Nottoway, Patrick, Pittsylvania, and Prince Edward counties; the cities/towns of Colonial Heights, Danville, Emporia, Martinsville, Petersburg, and South Boston

Wetter-than-average weather continued from the fall. Observers mentioned seeing few ducks and geese during much of the season, but as the end of winter approached some interesting waterfowl did appear. Species that seemed scarce included American Coots, Northern Bobwhite, and Rusty Blackbirds, while some irruptive northern species were found in good numbers.

Abbreviations: Kerr (John H. Kerr Reservoir, *Mecklenburg*, lower lake, and *Charlottel Halifax*, upper lake); SRR (Sandy River Reservoir, *Prince Edward*)

TRUMPETER SWAN-NORTHERN BOBWHITE

Charlotte's first **Trumpeter Swan** was found at Greenfield 27 Feb (ph. KD) and was still present the next morning (ES, TS) but apparently departed later that day. A single **Long-tailed Duck** appeared at Holliday L. SP, *Appomattox/Buckingham* 6 Dec (ES) and remained until 2 Feb (MA), and another was found at Staunton R. SP, *Halifax* 16 Dec (AD, PG). **Common Goldeneye** were reported from five counties in the Region, though the high count was only 4 at SRR 1 Feb (TS,

ES). **Common Mergansers** were reported only from SRR, with one there on 20 (TS, ES) and 2 on 30 Jan (TS); this seemed a bit low after the good number of reports here and in other Regions in recent years. The only reports of **Northern Bobwhite** were 8 at James R. SP, *Buckingham* 21 Dec (LA, AR) and 3 in Cumberland SF, *Cumberland* 9 Feb (SW).

AMERICAN COOT-PEREGRINE FALCON

American Coot was unreported in the Region this winter, which is unusual. As in some previous winters, a **Spotted Sandpiper** was seen below Kerr Dam on several occasions from 3 Feb (PG, who reported 2 on that date, and TS) through 17 Feb (PG) but nowhere else in the Region. A single ad. **Lesser Black-backed Gull** on lower Kerr 27 Jan (PG) was the only one reported. A **Red-throated Loon** found at Briery Cr. L. 28 Feb (ph BE, m. obs.) was the first seen in *Prince Edward* since 2014. The only other report of the species was one seen on lower Kerr 22 Dec (PG) through 9 Feb (m. obs.). Quite surprising this far inland, a **GREAT CORMORANT** was found at Tailrace Pk., Kerr 9 Feb (AD ph., PG, m. obs.) and remained until at least 16 Feb (m. obs.).



This Great Cormorant (left) was photographed by Bob Epperson at Kerr Reservoir, *Mecklenburg* 9 Feb.

The year's first **Osprey** was reported at Wilkes L., *Prince Edward* 26 Feb (ph. HK). A **Peregrine Falcon** made a flock of diving ducks nervous during a brief appearance at Staunton R. SP, *Halifax* 22 Feb (ph. CMS); this was the only Regional report.

BLUE-HEADED VIREO-COMMON YELLOWTHROAT

A Blue-headed Vireo was at Wolftrap WMA, Halifax 16 Dec (JB, MH); this species is unexpected anywhere in the Region in winter, though small numbers winter routinely not far south and east. The first Tree Swallow was reported 14 Feb barely n. of the state line in Danville (MN); by the end of the period this swallow species had appeared at several lakes scattered across the Region (m. obs.). Red-breasted Nuthatches were relatively common this winter across the Region, with numerous reports (m. obs.), and both Purple Finches and Pine Siskins were also found in the Region through the period at several locations (m. obs.), a change from some recent winters. A Vesper Sparrow on Green Bay Rd., Prince Edward 22 Dec (DS, ph. ES) was the only one reported. Rusty Blackbird reports were limited to 2 at Piedmont Geriatric Hospital, Nottoway 8 Dec (TS, ES); one at Dick Cross WMA, Mecklenburg 3 Jan (AD, PG); and 2 in Farmville, Prince Edward 24 Feb (HK). The only **Common Yellowthroat** report was one found 9 Feb at Dick Cross WMA, Mecklenburg (TS, ph. ES).

Contributors: Logan Anderson, Kent Davis, Adam D'Onofrio, Bob Epperson, Paul Glass, Harrison Kish, Martina Nordstrand, Andrew Rapp, Ty Smith, Evan Spears, C. Michael Stinson, Stephen Williams



Editors: Baxter Beamer

2645 Jefferson Park Circle Charlottesville, VA 22903 barobe09@gmail.com Janet Paisley 1435 Gentry Lane Charlottesville, VA 22903 janetpaisley@comcast.net

Albemarle, Amherst, Bedford, Campbell, Caroline, Fluvanna, Goochland, Greene, Hanover, Louisa, Nelson, Orange, Powhatan, and Spotsylvania counties; the cities of Bedford, Charlottesville, Fredericksburg, and Lynchburg

This period was highlighted by a diverse array of rarities and unusual occurrences. Birders were treated to impressive waterfowl influxes and fallouts due to weather patterns such as the extreme polar vortex, overwintering neotropical migrants, and an Evening Grosbeak irruption. Highlight species included Black Scoter, Long-tailed Duck, Red-necked Grebe, Rufous Hummingbird, Sandhill Crane, Lesser Blackbacked Gull, Rough-legged Hawk, Say's Phoebe, Evening Grosbeak, Lapland Longspur, and Painted Bunting.

Christmas Bird Counts: BFMCBC (Big Flat Mountain, 31 Dec); CHCBC (Chancellorsville, 30 Dec)

GEESE-DUCKS

A Ross's Goose was at Mill Cr. L. Pk., *Amherst* 9 Jan (JE). Cackling Goose reports included 2 at Pouncey Tract Rd., Hanover 10 Dec (EO), 4 at the Lowe's Retention Pond, Louisa 26 Dec (ph. AR), one at Green Springs, Louisa 1 Jan (MN), and one at L. Monticello, Fluvanna 21, 22, & 30 Jan (ph. KKo, DC, ST). The polar vortex weather event in late January that brought arctic temperatures into the continental northern mid-west displaced many waterfowl from that area, and likely accounted for the following extreme high counts of deepwater diving ducks: 61 Canvasbacks at Briery Cr. Rd. Pond, Fluvanna 15 Feb (ph. ST), 47 Redheads at Thrashers L. Pk., Amherst 23 Feb (MJ), 72 Greater Scaup at Ivy L., Bedford 23 Feb (BE), 224 Lesser Scaup at Thrashers L.Pk., Amherst 23 Feb (MJ), and 41 Common Goldeneyes at L. Monticello, Fluvanna 31 Jan (ph. ST). There were several Long-tailed Duck sightings, including one at Liberty Corner Farm, Albemarle 22 & 30 Dec (ph. m. obs.), 4 at the Georgia-Pacific Settling Ponds, Bedford 28 Jan through 10 Feb (ph. BE, JS), and one at L. Monticello, Fluvanna 21 & 22 Jan (ph. ST, KKo). Especially rare in midwinter, an imm. m. Surf Scoter was at Snowden Dam, Amherst 2 Feb (ph. BE). A White-winged Scoter was at Snowden Dam, Amherst 14 to 21 Feb, when it was joined by 2 others (ph. BE). Remarkably,

there were 2 **Black Scoters**, an ad. m. at Everett L., *Bedford* 20 through 29 Dec (ph. BE, m. obs.) and another at Hope of Glory Farm, *Fluvanna* 2 Feb (ph. ES, TS, ST). Fifty-eight **Common Mergansers** was a notable count at Snowden Dam, *Amherst* (BE, MJ).

GREBES-FLYCATCHERS

About annual in the Region, the lone **Red-necked Grebe** report came from Ivy L., *Bedford* 28 Jan (MB, BE). A **Ruby-throated Hummingbird** dropped into a feeder in Lynchburg 10 Jan (ph. v.r. LA). A **Rufous Hummingbird** continued from the fall period at a feeder on Fosters Branch Rd., *Albemarle* until 5 Jan (CC, SB).



The Fosters Branch Rd., *Albemarle* Rufous Hummingbird, photographed 28 Oct by Charlotte Clements

An overwintering **Spotted Sandpiper** was at Reusen's Dam, Lynchburg 8 through 11 Feb (ph. LA). The returning pair of **Sandhill Cranes** was detected at Green Springs, *Louisa* 29 Dec through 15 Feb (a.r. GG). Still very rare in the Region, 2 **Lesser Black-backed Gulls** were picked out of the large gull flocks at L. Anna, *Spotsylvania* 17 Feb (ph. TD). Three **Golden Eagle** reports was well above average for this scarce northern raptor; one was at Puppy Cr. Rd., *Amherst* 26 Jan (MB, JP, WT), another at Montpelier, *Orange* 3 Feb (ph.

GG), and possibly the same individual at Old Rapidan Rd., *Orange* 24 Feb (ph. FA). A **Rough-legged Hawk** was an unexpected and very rare find at Peavine Hollow Rd., *Albemarle* 9 Feb (PM). A **Short-eared Owl** was detected at Carysbrook Plantation, *Fluvanna* 27 Jan (ST, TG). This species is rare in the Region away from wintering areas in Green Springs, *Louisa*. An exceedingly rare visitor to the state, a **SAY'S PHOEBE** at Sandidge's Rd., *Amherst* 24 Dec (ph. MB, m. obs.) represented the first Regional record; it continued in the nearby vicinity until 25 Jan (m. obs.).



Mike Boatwright documented this Say's Phoebe in *Amherst* 8 Jan.

VIREOS-BUNTINGS

A late **Blue-headed Vireo** was observed in Mechanicsville, Hanover 4 Dec (JM). A rare winter wanderer in the Region, a Black-capped Chickadee was noted almost daily at a feeder at Wilson Ct., Charlottesville 14 Dec through 25 Feb (ph. DC). Up to 3 Brown-headed Nuthatches were newly discovered at L. Monticello, Fluvanna 17 Dec (ph. DC, m. obs.) and continued through the end of the period; 2 continued at Willow Ridge Rd., Louisa 26 Dec (ph. AR). A House Wren was very late or wintering at Carysbrook Plantation, Fluvanna 29 Dec (ph. AR). A Wood Thrush at L. Monocan, Nelson 11 Dec (ph. DC, ES, TS) was extremely late, coming close to the Regional late date set the previous winter. Eastern North America experienced a large scale Evening Grosbeak irruption, and several made it all the way to the Central Region. Four were in Keene, Albemarle 9 Dec (JF), another in Amberst the same date (ph. MB). Both of these reports came after heavy snowfall the previous night. Singles were reported on the CHCBC, from Ivy Farms, Albemarle 5 through 12 Jan (ph. RK), at Gentry Ln., Albemarle 20 Jan (ph. JP), and up to 4 at Quiggle Farm, Caroline 30 Jan through 6 Feb (ph. CQ). Very difficult to pin down as the species' range barely enters the Region, 11 Red Crossbills were photographed on the BFMCBC. A rare winter visitor not recorded annually in the Region, a Lapland Longspur was found at Carysbrook Plantation, Fluvanna 11 Dec (ph. ST, TT). Locally, this species is almost always associated with snowfall that drives the birds to the edges of crop fields. There were three reports of wintering Baltimore Orioles: a returning bird on Sunset Ave, Charlottesville 3 Dec through the end of the period (ph. BM), another at Woodbine Dr., Lynchburg 11 Dec through 4 Jan (BT), and 9 & 13 Jan in Mechanicsville, Hanover (KKr, ph. DH). A very rare wintering American Redstart was found at James R. Heritage Trail, Amherst 2 Feb (ph. JS). Another rare wintering Cape May Warbler visited a feeder at Entwood, Hanover 22 Dec through 20 Jan (ph. NC). A m. **PAINTED BUNTING** visiting a feeder in Mechanicsville, Hanover 27 Dec (ph. DH, m. obs.) delighted visiting birders through the end of the period.



Painted Bunting photographed by David Hawkins 16 Feb in Mechanicsville, *Hanover*

Contributors: Logan Anderson, Fred Atwood, Susan Babineau, Mike Boatwright, Natalie C, Drew Chaney, Charlotte Clements, Todd Day, Jim Elder, Bob Epperson, Greg Goodson, Tao Groves, David Hawkins, Mark Johnson, Reid Keller, Kim Kozella (KKo), Kelly Krechmer (KKr), Jerry McEntire, Betty Mooney, Pete Myers, Mark Nichols, Ellison Orcutt, Janet Paisley, John Pancake, Carol Quiggle, Andrew Rapp, Ezra Staengl, Theo Staengl, Jason Strickland, Wes Teets, John Styrsky, Barbara Thrasher, Shea Tiller, Thomas Tiller



Editor: Adam D'Onofrio

25118 Smith Grove Rd. North Dinwiddie, VA 23803 bigadfromlb@comcast.net

Charles City, Chesterfield, Henrico, Isle of Wight, James City, New Kent, Prince George, Southampton, Surry, Sussex, and York counties; the cities of Franklin, Hopewell, Richmond, and Williamsburg

Temperatures and precipitation averaged near normal in December and January but jumped above normal in February with the temperature averaging two degrees above normal and precipitation nearly an inch above normal. One noteworthy weather event was the second largest snowfall ever recorded in December in Richmond when 11.5 inches of snow fell on December 9. The record is 15 inches recorded on December 22 way back in 1908. Two long running Christmas Bird Counts were completed on December 16, the 79th annual Hopewell CBC and the 42nd annual Williamsburg CBC. Hopewell recorded 118 species and Williamsburg recorded 120. High counts, low counts, and general highlights of both counts can be found in the text. This season was noteworthy for the number of unseasonal species that remained in the area, continuing an ongoing trend. Rarities included Eurasian Wigeon, Blackheaded Gull, Ash-throated Flycatcher, Yellow-headed Blackbird, Western Tanager, and Painted Bunting.

Abbreviations: Ancarrow's (Ancarrow's Landing, Richmond); City Point (Petersburg National Battlefield-City Point Unit, Hopewell); Curles Neck (Curles Neck Farm, *Henrico*); Dutch Gap (Dutch Gap Conservation Area, *Chesterfield*); Hog (Hog Island WMA, *Surry*); Shirley (Shirley Plantation, *Charles City*)

Christmas Bird Counts: HoCBC (Hopewell, 16 Dec); WiCBC (Williamsburg, 16 Dec)

GEESE-GULLS

Seven **Ross's Geese** were counted on the HoCBC at Curles Neck, a new high count. The only other location where Ross's Geese were noted was on nearby Turkey Island Rd., *Henrico*. One was there 18 Jan (ph. NB), 4 were present 7&11 Feb (ph. ABr), and 3 were there 13 Feb (ph. ABr). **Cackling Goose** reports included a count of 20 on the HoCBC at Curles Neck, 8 at Shirley 14 Feb (AR, KW,

TM, JW), 2 at Crewes Channel, Henrico 15 Jan (ph. JF), singles at the James River Park Pipeline Walk, Richmond 2 Dec (WF), Shirley 1 Jan (WF) and Turkey Island Rd., Henrico 11&13 Feb (ph. ABr). A new high count of 47 Wood Ducks was established on the WiCBC. An excellent count of 600 Wood Ducks was made on 18 Feb in the marsh at Henricus Historical Pk., Chesterfield (SR). A count of 44 **Northern Shovelers** was a new high count on the WiCBC. A m. **EURASIAN WIGEON** was an excellent find among a flock of American Wigeon, Gadwall, and Ring-necked **Ducks** at a roadside pond on Turkey Island Rd., *Henrico* 9 Feb (ph. ABr). A single Northern Pintail on the HoCBC was a new low count. Likewise, a single Green-winged Teal was a new low count on the WiCBC. Two hundred and four Greater Scaup and 848 Lesser Scaup were both new high counts for the WiCBC. Four Surf Scoters were at Yorktown, York 26 Dec & 3 Jan (BW). A Whitewinged Scoter was photographed at Jamestown Is., James City 12 Feb (BW). Two Black Scoters were at Yorktown, York 26 Dec & 3 Jan (BW). An ad. m. Long-tailed Duck was spotted at Swift Creek Res., Chesterfield 2 Feb (SR). A Red-necked Grebe was noted off Yorktown, York 23 Dec (MB). A single Clapper Rail was a low count on the WiCBC. A Sora was seen briefly and then heard calling at the Swamp Bridge section of Newport News Park, York 19 Jan (AR). An out of season Spotted Sandpiper was seen well at Dutch Gap 6 Jan (JE). A BLACK-HEADED **GULL** photographed at Curles Neck during the HoCBC represented one of only a handful of Virginia records away from the immediate coast. New high counts for the HoCBC included 5091 Laughing Gulls and 22,532 Ringbilled Gulls. A color banded first-cycle Herring Gull at the Jamestown Ferry, James City/Surry 18 Feb (ph. BT) had been banded before it was able to fly near Manhattan, New York, NY 26 Jun 2018. The only Iceland Gull reported in the Region was a first-cycle Kumlien's found in the James R. section near the T. Tyler Potterfield Memorial Bridge, Richmond 8 Feb (ph. EO). The bird was seen off and on in the same general area until at least 19 Feb (m.obs.).

PELICANS-SPARROWS

Three American White Pelicans was a new high count for the WiCBC. American White Pelicans were observed at Hog throughout the period with the peak count an estimated 40 on 17 Feb (NN, JS, m.obs.). An imm. Little Blue Heron was near Jamestown, *James City* 1 Jan, establishing a first local winter record (ph. BB). Likely the same bird was seen at Hog 9 Feb (ph. SU). More new high counts for the WiCBC included 326 Black Vultures, 32 Red-shouldered Hawks, and 2 Merlins. An ASH-THROATED FLYCATCHER appeared briefly at Ancarrow's on 29 Dec (ph. PB). Despite subsequent searching, the bird was not relocated again until 6 Jan (AB et al.) after which the bird became more reliable and was seen by many until 28 Jan (m.obs.).



Paul Bedell's 29 Dec photo of the Ash-throated Flycatcher at Ancarrow's Landing, Richmond

A White-eyed Vireo was a good find at Westover Plantation, *Charles City* during the HoCBC. Two Blueheaded Vireos was a new high count for the WiCBC. Other Blueheaded Vireo reports included a continuing bird at Ancarrow's 1 Dec-6 Jan (m. obs.), one at Bassett Hall Nature Trail, Williamsburg 2 Jan (ph. BB), one at Kiwanis Park, Williamsburg 20 Jan (ph. AR, NN), and one on Carter's Mill Rd., *Henrico* 14 Feb (ph. AR, KW, TM, JW). Three Northern Rough-winged Swallows on

Turkey Island Rd., Henrico 2 Dec were noteworthy (ph. ABr). It seems Blue-gray Gnatcatchers have become an expected species in the Region during winter, especially in December. There were several reports this winter including up to 3 seen at Ancarrow's throughout the period. Other sightings included 4 tallied on the HoCBC, one on Smokehouse Ln., James City 2 Dec (HB), one at City Point 2&5 Dec (ph. AB, ph. ABr), one on Jamestown Is., James City 5 Dec (NB et al.), one at Dutch Gap 8 Dec-1 Jan (m.obs.), one at Windsor Castle Pk., *Isle of Wight* 25 Dec (LS), one at Freedom Pk., James City (ph. BB) and, finally, one at Belle Isle, Richmond 19 Feb (ph. ABr). In what was an irruption year for this species, a lucky few in the state were able to lay eyes on an Evening Grosbeak. The only report from the Region this season was a single bird that visited a residential yard in the Tuckahoe neighborhood of Henrico 9 Dec (KL). Two Clay-colored Sparrows were tallied on the HoCBC, one at Curles Neck and the other at Shirley. A Seaside Sparrow was at Bay Tree Beach Rd., Seaford, York 15 Dec (JS). A Lincoln's Sparrow, rare in winter, was photographed at Shirley 26 Feb (ABr).

BLACKBIRDS-BUNTINGS

An ad. m. YELLOW-HEADED BLACKBIRD was spotted in Ford's Colony among a large group of Red-winged Blackbirds 18 Feb (PR). Another presumed m. Yellowheaded Blackbird of unknown age was reported among a massive flock of mixed blackbirds in the Elberon area of Surry 5 Jan (JF). Four Boat-tailed Grackles were at Seaford, York 14 Jan (JS). An Ovenbird continued from the fall season, foraging in a small wooded section along east Broad St., Richmond. The bird was seen 5 Dec, 11, 17, & 23 Jan (ph. MEH). Two Black-and-white Warblers were recorded on the HoCBC. Two Black-and-white Warblers were noted at City Point 23 Dec (ph. ABr, JG). Up to 2 Black-and-white Warblers continued from the fall season at Ancarrow's throughout the period (m.obs.). Two Orange-crowned Warblers were at Hog 17 Feb (NN, JS). Orange-crowned Warblers were routinely reported throughout the Hopewell/Richmond area during the entire period. A Nashville Warbler continued from the fall season at Ancarrow's and was seen sporadically until 2 Feb (m.obs.). Another Nashville Warbler was spotted at the James River Park Pipeline Walk, Richmond 2 Dec (WF). A Northern Parula was photographed at Ancarrow's 27 Jan (B&TB). Presumably, the same bird was seen there again 16 Feb (SK). An ad. m. Black-throated Blue Warbler was well described at a backyard suet feeder in western Henrico

30 Jan (HW). Two **Palm Warblers** were at Ancarrow's 2 Dec (PB). A single Palm Warbler continued there through 2 Feb (m.obs.). A **Yellow-throated Warbler** was recorded on the WiCBC. Two other Yellow-throated Warblers were reported in the Region this winter, both in residential yards in *Chesterfield*. The first was seen 4 Dec (AM) and the second 7 & 21 Jan (ph. MM). A m. **Wilson's Warbler** was seen in Settler's Mill, *James City* 25 Dec, 1 & 5–11 Jan, 28 Jan and 1–4 Feb, representing a first local winter record (ph. BW, ph. JEa).



A Wilson's Warbler photographed 27 Jan by Bill Williams in Settlers' Mill, *James City*

A f. Western Tanager was at a feeder in Mathews Grant, *James City* 22 Jan, 13 & 20 Feb (ph. C&SP). A new high count of 500 Northern Cardinals was made for the WiCBC. A m. PAINTED BUNTING attended a feeder in Union Fort, Hopewell 14 Dec (ph. HC). This same bird was then recorded on the HoCBC. Not to be outdone, the WiCBC also recorded a Painted Bunting.

Contributors: Nancy Barnhart, Baxter & Tucker Beamer, Hugh Beard, Paul Bedell, Barry Blust, Arun Bose, Allen Bryan (ABr), Mitchell Byrd, Heather Craddock, Jim Easton (JEa), Jack Esworthy IV, William Foster, Jan Frye, Jim Gould, M.E. Hodges., Seth Kellogg, Kathy Louthan, Tara Malloy, Ashleigh Mason, Molly McFadden, Nick Newberry, Ellison Orcutt, Carol & Stephen Parfet, Patti Ralabate, Andrew Rapp, Steve Roble, Liz Scher, Jason Strickland, Brian Taber, Jacob Warner, Bill Williams, Kolby Williams, Heidi Workman, Shannon Updike



Editors: Adit Nehra

2519 Glenlawn Place Herndon, VA 20171 nehra.adit@gmail.com Fred Atwood Flint Hill School 10409 Academic Drive Oakton, VA 22124

fredatwood@yahoo.co

Essex, Gloucester, King and Queen, King George, King William, Lancaster, Mathews, Middlesex, Northumberland, Richmond, and Westmoreland counties

During the '18–19 winter season in the Northern Neck and the Middle Peninsula, 154 species were recorded. Part of a trend noted across the state, many waterfowl were sparse across the Region. It was a poor year for winter berries, leading to low densities of highly frugivorous birds such as American Robins, Cedar Waxwings, and Yellow-rumped Warblers. It was also a poor year for the cone crop up north, giving way to an irruption of Red-Breasted Nuthatches and northern finches such as Evening Grosbeak, Pine Siskin, Purple Finch, and even a Common Redpoll. Contrastingly, it was a great year for acorns which fueled a banner year for Red-headed Woodpeckers in some locations. Other highlights of the season included American White Pelican, Trumpeter Swan, Common Gallinule, Spotted Sandpiper, Green Heron, Common Raven, and Western Tanager. Eight all-time high counts and one unusual species were seen on WBCBC. There were four all-time highs and four unusual species recorded on WCBC. The MCBC recorded five high counts and four unusual species. There were numerous high counts and new species on the NLCBC as this was only the 3rd year of the count. Data for this report were sourced from eBird, Virginia Birds listsery, NNASnet (Northern Neck Audubon Society), the Gold Book, the USFWS, and four Christmas Bird Counts. Waterfowl bag limits and population declines from https://www.ducks.org/hunting/atlantic-flyway-mallardcanada-goose-limits-approved-for-20192020.

Abbreviations: Beaverdam (Beaverdam Pk., Gloucester); Bethel (Bethel Beach NAP, Mathews); Birthplace (George Washington's Birthplace National Monument, Westmoreland); Cole's Pt. (Cole's Pt., Westmoreland); Dameron (Dameron Marsh NAP, Northumberland); Hughlett (Hughlett Pt. NAP, Northumberland); Hutchinson (Rappahannock River Valley NWR—Hutchinson Unit), Essex; K.G. Ponds (sand quarry ponds near the Rappahannock R., mostly along Rt. 3, King George); LaGrange (LaGrange La. near Sealston, King George); Leedstown (Westmoreland); New Pt. Comfort (New

Pt. Comfort Preserve, *Mathews*); The Pocket (in Pamunkey Indian Reservation along the Pamunkey R., *King William*); USFWS (US Fish and Wildlife Service)

Christmas Bird Counts: MCBC (*Mathews*, 30 Dec); NLCBC (*Northumberland-Lancaster*, 28 Dec); WBCBC (Washington's Birthplace, 16 Dec); WCBC (Walkerton, 5 Jan)

WATERFOWL

The 5 **Snow Geese** observed at Hughlett as part of the NLCBC were the only ones reported in the Region this year. No Greater White-fronted Geese or Ross's Geese were reported in the Region this winter. Twelve Cackling **Geese** in four locations across three counties were present in Dec and early Jan (m. obs.). Numbers of Canada Geese were low compared to past years, with an average of 285 noted from 314 sightings in 154 locations. The season's high count was only 5000 in Leedstown during the WBCBC. This decline is consistent with the trend noted by USFWS in wintering Atlantic populations of this species. In 2018 gosling production of this population in its northern breeding grounds was virtually nonexistent because of cold temperatures and a late spring thaw. As a result, USFWS reduced the bag limit to one and shortened the hunting season to one month in the coming 2019-2020 season. Nineteen Mute Swans were seen in six locations. Two birds at NLCBC were the only ones reported on the four Regional CBCs. The Tundra Swan high count was 510 in a field off US 17 in Essex 25 Jan (m. obs.). An uncontested highlight of this season, one TRUMPETER SWAN was found as part of the MCBC, only reported once before in the Region—on the same count last year. At dusk, 90 **Wood Ducks** were seen flying into a marsh to roost in *King* William during the WCBC. Quite low for a high count, this year's Northern Shoveler maximum was a mere 15 at K.G. Ponds 10 Feb (FA). Continuing the trend from fall, it

was a great year for **Gadwall**. An all-time high of 570 was counted on private property in King William 8 Dec (FA). The highest count of American Wigeon reported in the Region was 45 in Leedstown 10 Feb (FA), far lower than many past seasons. Mallard numbers were down greatly this winter, with a high of 280 in Leedstown 19 Jan (FA). This is apparently part of the decline noted by USFWS which prompted them to lower next year's bag limit to two birds. The cause of this 41% decline since 2004 is unclear. Our wintering birds breed in Eastern Canada and Northeastern US. In Canada the breeding population has been stable, but apparently the Northeastern US populations have been struggling, especially in New York and Pennsylvania. This winter's maximum single-location count of 50 American Black Ducks was in Leedstown for the WBCBC, extremely low for a high count which in past years has been as high as 350. Canvasback numbers dropped immensely from last year's high of 6000 in West Point, King William, where none were reported this year. This year's high was 383, seen from a residence in Gloucester 14 Jan (BB). However, the species was found in more locations than many previous years including last. Yet another duck with a low high count, 350 Ring-necked Ducks at LaGrange 1 Dec (BH), was dwarfed by previous highs exceeding 6000. A new all-time eBird high count of 1200 Greater Scaup at Cole's Pt. 10 Feb (FA) vastly outnumbered the high of 400 Lesser Scaup at the same location on the same date. A new eBird seasonal high, 1000 Surf Scoters was reported at Hughlett 18 Dec (HC, JW). Less than a quarter of the past high, 450 Black Scoters were at Cole's Pt. 19 Jan (FA). Not recorded every year, 3 White-winged Scoters were reported at three locations this winter. The respectable high count of 350 Buffleheads in Montross, Westmoreland 1 Jan (AL) was significantly lower than the all-time Regional eBird high of over 2700. Less than half that of some previous winters, the high count of Common Goldeneyes was 58 at Bowlers Wharf, Essex 18 Dec (MC, JC). The MCBC recorded a new all-time high count of Ruddy Ducks, an impressive 4561.

QUAIL-OWLS

A healthy count of 20 **Northern Bobwhite** was reported at Hutchinson 29 Dec (NN). Another covey of 12 flushed across US 17 in *Middlesex* 23 Dec (MC, JC). Despite efforts to find them in suitable habitat where this species has been found in the past, only 4 were recorded on the WCBC. The 101 **Wild Turkeys** found on the WCBC was that count's second highest count. Fifty-two of those were at a farm in *King William*. **Pied-billed Grebes** were fairly scarce this

year with a maximum of 10 seen at Beaverdam in Gloucester 15 Jan (HC, RC), low for a high count. Tough to detect and not recorded every year, the season's sole Virginia Rail was briefly spotted in Leedstown as part of the WBCBC. A well-described imm. Common Gallinule was an exciting discovery in Walkerton, King and Queen 3 Feb (FA). This was a county first and the second winter record for the Region in eBird. For the first time since the 31 Dec 2000 count, no American Coots were recorded on WCBC. This count averages 59 per year with a high of 628. A late Semipalmated Plover was spotted at Bethel 26 Dec, the only one of the season and only the 5th winter record in eBird (ph. NN). With past eBird highs up to 230, this year's maximum of 20 Killdeer was very low for a high count. In eBird, a total of only 157 was reported at 33 locations. A **Spotted Sandpiper** was a count-week bird for the MCBC, only the third record for this CBC. There are no winter eBird records for this species in the Region. A flock of 23 Short-billed Dowitchers in Robins Neck, Gloucester (HC, RC) was a new winter eBird high count for the Region. In a trend seen throughout the Region, Wilson's Snipe were scarce this winter. Across six locations only 9 individuals were documented, 4 of which were seen on CBCs. The WCBC hit its all-time low count of just one this year. To put things in perspective, the WCBC averages 50 per year, and the highest count recorded on this CBC was on 31 Dec 2006. An all-time high for the count, 18 Lesser Yellowlegs were seen on the MCBC. A lingering Laughing Gull made an appearance at a residence in Gloucester 27 Dec (HC). Six thousand eighty-one Ring-billed Gulls marked the new alltime high for the WBCBC. A Lesser Black-backed Gull, uncommon but increasing in the Region, was found at K.G. Ponds 14 Jan (FA). Denoting a new seasonal high in eBird, 190 Red-throated Loons were counted at Bethel 26 Dec (NN). Two short of a winter eBird high count, 45 **Common** Loons were spotted off the Robert O. Norris Bridge in Middlesex 29 Dec (NN). Continuing a trend from fall of 2018, Northern Gannets were once again hard to come by. There were only six sightings of 21 individuals across the Region. A remarkable find, American White Pelicans were found in the Region for the first time in winter since 2016. On 15 Jan, a flock of 10 was seen on the beach at Bethel (CM-F) and later 9 (probably the same birds) were spotted in flight at New Pt. Wharf in Mathews (m. obs.). Great Blue Herons were less common than usual this winter. The WCBC total of 22 was far below its average of 36 and its high of 69. Only two eBird locations tallied this species in double digits. The high count of 18 at The Pocket 3 Feb (FA)

was unusual for a Region where counts over 25 are common. A lingering Great Egret at Gloucester Pt. Beach, Gloucester 19 Jan (RI) was the only one sighted this winter. Marking a new late date, a **Green Heron** was found in Leedstown 1 Dec (FA). This was the only one ever recorded in eBird in the Region in winter. No Night-Herons were reported this winter. Four short of a new high, 285 Black Vultures were counted on WCBC. Two Ospreys were found on MCBC, only the second sighting in the long history of this CBC. Usually an Osprey or 2 returns from the south in very late February or lingers into December, but none were reported this year. An astounding 77 Bald Eagles were counted on the WCBC, an all-time high for the count. On average 38 eagles are seen on the count per year, the previous high being 68 on 3 Jan 2010. This data supports the success story of this once-endangered species. Eastern Screech-Owls were once again uncommon. Only one bird was seen on the WCBC, which typically tallies 4 and has a high of 12. Yet again no Barn Owls or Short-eared Owls were reported this year, further evidence of the declining trend these grasslanddependent species are facing.

WOODPECKER-MIMIDS

This was a great winter for Yellow-bellied Sapsuckers. Three short of a new Regional high, 11 were seen at a residence in Gloucester 13 Jan (HC). Additionally, a new all-time high of 27 was set on the MCBC. It was also a banner year for **Red-headed Woodpeckers**, a seasonally irruptive and acorn-dependent species. It has been three years since the last major population boom in the winter of '15-16. Denoting a new all-time Regional high, an amazing 24 individuals were found in Leedstown, contributing to the new WBCBC high of 37. Twenty-two were recorded on the WCBC, 7 higher than the species' average of 15. The WBCBC also set a new high of 78 Red**bellied Woodpeckers**. Keeping up with the woodpecker trend, a new high of 11 Hairy Woodpeckers was attained on the MCBC. American Kestrel numbers were about average this winter with 45 individuals reported to eBird from 39 locations. Tying the previous all-time high set in 2016, three **Merlins** were spotted during the WBCBC. This count circle has become a fairly reliable area for these falcons in the wintertime over the years. Single Peregrine **Falcons** were documented at five locations in the area, 3 of which were at or around major river bridges. Although as a general trend the species is growing more numerous in winter, this year's high of a mere 3 Eastern Phoebes was down compared to those of past years. A total of 17 seen on

WCBC was quite a drop from last year's 87, and the previous year's 56. Although one count-week bird was seen in 2017, a first count-day Blue-headed Vireo was observed on the WCBC. An all-time high of 136 Blue Jays was achieved on the WBCBC, during which this winter's three highest counts of 26, 25, and 19 birds were tallied at separate farms in the Leedstown area. Two **Common Ravens** found on the WCBC were not only new for that CBC, but also the first eBird record for King William, further documenting the expansion of this species into the Coastal Plain. Horned Larks were oddly uncommon this winter in stark contrast to the past two years. Only 49 were seen at seven locations, 35 on the WBCBC alone. Ten individuals were recorded on the WCBC, the only other CBC able to find them. This was the species' lowest total on the WCBC since the 3 Jan 1999 count. Past single-location highs over 100 are not uncommon and have ranged up to 330. Not surprising during this irruption year, there were widespread reports of **Red-breasted Nuthatches** across the area. Sometimes all but absent from the Region, 110 were reported at 59 locations in eBird. The season's single-location high was 10 at a home in Warsaw, Richmond 14 Jan (RL). Tying this species' previous high in 2017, 11 were seen on the WCBC; and MCBC's whopping 54 was very close to the previous high of 58 on the 30 Dec 2012 count. Excluding the winters of 2017 and 2019, the count of this species has never exceeded 5 on any WCBC or 15 on any MCBC. The high of 33 **Brown-headed Nuthatches** at Cross Rd., Gloucester 8 Jan (HC, RC) set a new eBird all-time high count by one. Tying the previous seasonal high, 5 House Wrens were sighted at West Pt. Rail Yard, King William 19 Dec (AB). It was a good winter for these wrens, with 15 present in nine locations, far more than most winters. Up 2 from the previous high of three, 5 were counted on the WCBC. Not observed every year, the winter's only Marsh Wren was found at Hutchinson 29 Dec (NN). Two outof-season Blue-gray Gnatcatchers were seen this winter. One in *King William* was the first record for the WCBC. A second lingered in Lancaster until 8 Jan (JCoo). Less than half the past high of 14, the winter's largest Ruby-crowned **Kinglet** count was 6 at LaGrange 1 Dec (FA). The season's high of 42 Eastern Bluebirds was counted along a fourmile stretch of road in Lancaster 22 Dec (FAn). Another species with unusually low numbers was the American **Robin**. The high count was only 250 at Birthplace 23 Feb (MG). The WCBC tallied 835 robins, just over half the average of 1512 and eclipsed by that CBC's high of 4480 on 1 Jan 2006. Gray Catbirds showed well in the Region

this year. Twenty-seven were recorded at 18 locations with a high of 4 in Leedstown 19 Jan (FA).

AMERICAN PIPIT-TANAGER

Remarkably, the one **American Pipit** on the MCBC was the only one reported in the entire Region. The WCBC, which averages 136, missed this species for the second time in count history. Pipit numbers have been very low during the past few years. No flocks of Cedar Waxwings numbering over 100 and only four over 50 were reported. The low numbers of waxwings and robins, both highly frugivorous, can be attributed to a poor season for winter berries such as holly and cedar. This winter's Evening Grosbeak irruption was well-represented here. A single bird was at The Pocket 19 Dec (ph. AB). Additionally, a flock of 5 was found on the MCBC. Evening Grosbeaks have not been seen on MCBC since 1988. Prior to that date, they were reported in two thirds of the years since the CBC began in 1969. Those count tallies averaged 31, with a whopping high of 204 in 1987. A Common Redpoll, only seen on two previous counts, was also reported on the MCBC. Doubling last year's total, 40 Purple Finches were noted at 17 locations in addition to the 6 found on the MCBC. A total of 14 Pine Siskins was found in eight locations. An all-time high 114 Field Sparrows were on the WBCBC, half of which were at Westmoreland Berry Farm, Westmoreland. The WBCBC also hit a new all-time high of 942 White-throated **Sparrows**. The season's only **Lincoln's Sparrow** was the first record for the WCBC and the first winter eBird record for the upper Middle Peninsula. A new seasonal eBird high count for the Region, 28 Eastern Towhees were seen in the Leedstown part of the WBCBC's new high count of 72. A **Baltimore Oriole** overwintered at a residence in *Gloucester* where it was sighted three times 9 Jan-20 Feb (DD). It was a poor winter for most blackbirds. A single-location high of 1200 **Red-winged Blackbirds** was dwarfed by past highs over 61,000. Just 595 were on the WCBC, which averages 37,171 with a high of 250,987 on the 31 Dec 2006 count. This was the WCBC's lowest tally since the 2 Jan 2002 count. Far below the average of 282 and especially the high of 4562, a mere 11 Brown-headed Cowbirds were spotted on the WCBC. Twenty Rusty Blackbirds were reported from four locations, with a high of 15 in Leedstown 10 Feb (FA). However, roughly 500,000 Common Grackles were seen near Tappahannock, Essex 4 Feb (EO). The observer noted that this astonishing "river of birds" was the largest flock of birds he had ever seen. Strangely, no other grackle flocks in the area numbered above 2500 and the WCBC

hit a new low of just 2. The season's sole **Orange-crowned** Warbler was documented at New Pt. Comfort 26 Dec (ph. NN). Five Common Yellowthroats were present in the Region this winter. A single bird was at Mill Stone Landing Rd., Middlesex 29 Dec (NN), and 2 were sighted at both West Pt. Rail Yard, King William 19 Dec (AB) and Gloucester Pt. Beach, Gloucester 19 Jan (RI). Six Palm **Warblers** were seen at five locations in the Region. The one spotted on the WBCBC was that count's third record. It was a banner year for **Pine Warblers**, with a total of 73 in 38 locations throughout all 11 counties. All-time Pine Warbler highs were achieved on two CBCs. An impressive 36 were totaled on the MCBC, while the WCBC tallied 16. The WCBC records an average of 3 per year, with a previous high of 14 on 31 Dec 2017. After last year's spectacular season for Yellow-rumped Warblers, it was fascinating to see how dramatically numbers fluctuate from year to year. Last year the high count was 1200 with ten single-location counts over 50. This year there were only 14 counts in the double-digits with a high of 35. Extremely dependent on fruits such as wax myrtle and cedar, this decline can most likely be attributed to the poor year for these winter berries. Finally, an ad. m. Western Tanager which arrived as an imm. in 2017 was seen daily during the winter and sporadically during the rest of the year at a residence in *Middlesex* (CN). The observer's eBird comments state "He showed up as a juvenile in 2017 and never left. I see him daily in the winter, the rest of the year it's sporadically." This is only the third Regional report in eBird for this species, all of which of which have been in the lower Middle Peninsula.

Contributors: Faye Andrashko (FAn), Fred Atwood, Bill Blair, Allen Bryan, Maeve Charlesworth, Harry Colestock, Rochelle Colestock, Joey Coker, Joseph Cooney (JCoo), Doug Dwoyer, Melissa Gross, Bruce Hill, Robert Isdell, Ron Largett, Aylett Lipford, Carol Manglos-Foster, Cynthia Nelson, Nick Newberry, Ellison Orcutt, Jeffrey Wright



Editor: Bill Williams

154 Lakewood Drive Williamsburg, VA 23185 billwilliams154@gmail.com

Accomack and Northampton counties; Chesapeake Bay Bridge Tunnel; Pelagic area; the cities/towns of Cape Charles, Chesapeake, Chincoteague, Hampton, Newport News, Norfolk, Poquoson, Portsmouth, Suffolk, and Virginia Beach

The season was relatively mild and meteorologically uneventful. February in fact concluded ~5° F above normal for the month with rainfall totaling 1.6 inches above that month's historical mean. Such conditions certainly contributed to an unexpected number of over-wintering and/ or late departing Parulidae. Among the most exceptional species documented were Tufted Duck, a long-staying Bartailed Godwit, Common Murre, Ash-throated Flycatcher, Townsend's Solitaire, Harris's Sparrow, and Bullock's Oriole.

Abbreviations: Back Bay (Back Bay NWR, Virginia Beach); CBBT (Chesapeake Bay Bride Tunnel s. of Northampton); Chinc. (Chincoteague NWR, Accomack); Craney (Craney Island Dredged Materials Management Area, Portsmouth); DOVES (Database for Ornithological Verification and Submission); Grandview (Grandview Nature Preserve, Hampton); FINWR (Fishermans Island NWR, Northampton); KSP (Kiptopeke SP, Northampton); Little Is. (Little Is. Pk., Virginia Beach); Rudee (Rudee Inlet, Virginia Beach); Sandy Bottom (Sandy Bottom Pk., Hampton); Whitehurst (Whitehurst Tract, Princes Anne WMA, Virginia Beach)

Christmas Bird Counts: BBBCBC (Back Bay, 29 Dec); CCCBC (Cape Charles, 30 Dec); CBBTCBC (Chesapeake Bay Bridge Tunnel, 26 Dec); ChCBC (Chincoteague, 29 Dec); DSCBC (Dismal Swamp, 17 Dec); LCCBC Little Creek, 31 Dec); NaCBC (Nassawadox, 16 Dec); NNCBC (Newport News, 15 Dec); NRCBC (Nansemond River, 2 Jan); WaCBC (Wachapreague, 15 Dec)

WATERFOWL-JAEGERS

A Ross's Goose made the WaCBC final tally. The Region's only reported Greater White-fronted Goose was at the Cheriton/Oyster landfill, *Northampton* 29 Jan (K&TB). Cackling Geese were tracked by m. obs. at several se. Virginia Beach sites 8 Dec (2 at Sherwood Lks. ph. RBi)

through 24 Feb (2 at Gum Bridge Rd./Charity Neck Rd. ph. RBi, JSc); one was at the Cheriton/Oyster, Northampton landfill for the CCCBC then subsequently 29 Jan (K&TB). The Mute Swan reported at the Cheriton/Oyster landfill, Northampton during the fall season was last noted there 1 Dec (PK, CO, RT); the season's peak count for this species was 3 at Chinc. 13-29 Dec (m. obs.). One to 3 m. Eurasian Wigeons were at Chinc. 4 Dec-17 Feb (m. obs.). These overlapped in time with one at Lynnhaven, Virginia Beach 27 Jan (ph. MP) and as many as 4 at Hoffler Cr., Portsmouth 13 Feb (ph. SM). A m. EURASIAN GREEN-WINGED TEAL was encountered at Craney 13 Dec (RBt, LS, AM, ph. BT) and 28 Feb (ph. ARa, m. obs.). The latter date marked the 7th consecutive year this subspecies has been found at that facility. An ad. f. **TUFTED DUCK** found 19 Feb (ph. AB, TT, m. obs.) behind the Cleveland St. Chartway Credit Union, Virginia Beach was last observed there 26 Feb (ph. m. obs.). This was the second state and Virginia Coastal Plain record. The Gold Book mentions two Piedmont records, although neither appears in VARCOM's DOVES database.



Marie Furnish's 20 Feb photo of the Tufted Duck that was off Cleveland St., Virginia Beach

A King Eider was off Back Bay for the BBCBC. A Common Eider was at Messick, Poquoson 10 Dec (ph. AH). Two days later, an imm. m. was at Phoebus Waterfront Pk., Hampton

(ph. ABr) then a f. was noted nearby at Ft. Monroe 22 Dec (ph. JS). Thereafter, one or both were listed by m. obs. into the spring season. Elsewhere, one was spotted during the CBBTCBC and 2 were part of the BBCBC. The CBBTCBC also had 2 Harlequin Ducks; singles were at Lynnhaven, Virginia Beach 31 Dec (AB, ph. AD, LR, m. obs.) through 25 Feb (ph. BB) and at Ft. Monroe, Hampton 8 Feb (MH). One Northern Bobwhite recorded during the NaCBC was the only evidence of this species among the Region's ten CBCs. **Red-necked Grebes** were reported from the CBBT to Little Is. 26 Dec through 19 Feb with 2 being the most for any date. An Eared Grebe was at Chinc. 27 (JMa) & 30 Dec (TFe) and one was at Craney 14 Feb (AH, LS, ph. BT, DY). A **WESTERN GREBE** that appeared off Back Bay 3 Dec (ph. MS, ph. CB) was likely the same one reported intermittently between there and Little Is. to 5 Feb (ph. DS). Three Rubythroated Hummingbirds were at Camp Pendleton, Virginia Beach 6 Dec and 2 Jan (K&TB). A f. was on FINWR for the CCCBC. Subsequently, one each were at Camp Pendleton, Virginia Beach (ph. SM) and at a Laurel Manor, Virginia Beach feeder 6 Jan (TM). The season's American Avocet high count was 112 at Craney for the NRCBC. A BAR-TAILED GODWIT discovered at Chinc. 1 Dec (SD) bolstered 2018/2019 birder lists into March. This was the state's fourth record for this species, all from Chinc.



This Bar-tailed Godwit, photographed here 29 Jan by Tom Beatty, was at Chinc. throughout the winter.

A **Spotted Sandpiper** was at Elizabeth R. Pk., Chesapeake 6 Jan & 3 Feb (ph. DG) and one was at Church Pt., Virginia Beach 21 Jan (TT). Four **Red Phalaropes** were off *Northampton* at (36.979, -74.586) 26 Jan (ph.RBi, m. obs.). Three **Parasitic Jaegers** were recorded for the BBCBC. On subsequent dates, 2 passed Little Is. 29 Dec (AB, ph. LC), followed by singles there 5 Jan (LA, GR, m. obs.), off

Virginia Beach 19 (ph. JSo) & 22 Jan (anonymous) and, again, off Little Is. 9 Feb (BA).

ALCIDS-WOODPECKERS

There were 8 **Dovekies** reported including one each off Little Is. 16 Jan (AB), off Chinc. (ph. FMr, JMr) 19 Jan, off Little Is. 25 Jan (K&TB) and 15 Feb (AB), and 4 off Little Is. 19 Feb (AB). Solid documentation of 3 different **COMMON MURRES** established Virginia's fourth and fifth state records, respectively; one was 2 mi. off Virginia Beach 3 Jan (ph. AR) and 2 were off *Northampton* at (37.024, -75.089) 26 Jan (ph. RBi, m. obs.).



Alexis Rabon of the Virginia Marine Aquarium and Science Center documented this Common Murre off Virginia Beach 3 Jan.



Rob Bielawski took this 26 Jan photo of two Common Murres off *Northampton*.

Razorbills were listed by m. obs. 26 Dec into spring with these notable high counts, all from Little Is.: 1456 between 0700–0900 on 9 Feb (AB, ph. RBi), 2293 on 15 Feb (AB), 1800 on 16 Feb (RBi, m. obs.), and an extraordinary new state record 7107 in 3 hours on 19 Feb (AB, TT). An eBird perusal revealed Razorbills were chronicled throughout the season from the Canadian Maritimes to North Carolina with only one total, 1230 from Cape May, NJ 9 Jan (MO), remotely approaching those from Virginia's near-shore

waters. There were 12 off Grandview 2 Feb (TT) and up to 6 at Ft. Monroe 8 Feb through late March (ph. m. obs.). The total of 98 **Atlantic Puffins** tallied off *Northampton* 26 Jan (ph. RBi, m. obs.) was this species' highest single-day count ever recorded in Virginia.



One of the record-setting number of Atlantic Puffins off *Northampton* 26 Jan, photographed by Rob Bielawski

One Black-legged Kittiwake was off Little Is. for the BBCBC and 7 were off Northampton 26 Jan (ph. RBi, ph. JF et al.). A Black-headed Gull was at Chinc. 19 Dec (CC, ph. NN); another was at Rudee 28 Dec & 4 Feb (K&TB), and an ad. was at PHP 12 Jan (AB) and 2 Feb (ph. RBi, ph. SM). A Herring \times Lesser Black-backed Gull hybrid and a "Thayer's" Iceland Gull were documented for the CBBTCBC (ph. ESB). "Kumlien's" Iceland Gull reports included an ad. at 39th/40th Sts., Virginia Beach 4 Jan (ph. AB, ph. RBi, KL); separate first-cycle birds at Back Bay 5 Jan (ph. LA, ph. GR) and 88th St., Virginia Beach 6 Jan (ph. LA, m. obs.); an ad. (ph. K&TB) and a first-cycle (ph. RBi, AB) at Rudee 17 Jan; and, an ad. at 85th St., Virginia Beach 26 Jan (ph. KRi). A first-cycle **Glaucous Gull** was at KSP 25 Feb (ph. BB). A **Sandwich Tern** definitively photographed at Back Bay 17 Feb (ph. JM) was an unprecedented winter season record for the state. An imm. Wood Stork was near Caton Pk./Suburban Acres, Norfolk 14 (ph. APC) & 15 Jan (ph. RBi, TC). A f. **Anhinga** frequented L. Maury, Newport News 8 (JA) through 14 Dec (RS). Sixteen American White Pelicans passed over KSP 18 Jan (ph. SRo, m. obs.). A sequence of 20 Jan reports accounted for 15 along the s. Virginia Beach waterfront (ph. KR, TT) and 14 at Oyster, Northampton (MeP, ph. MiP). Subsequently, 4 were at KSP 26 Jan (MeP, MiP), 2 passed Rudee 2 Feb (DB, GM, PS, MW), 2 sailed from Grandview, Hampton to Poquoson 10 Feb (ph. NN, CC), and 4 were viewed from the Virginia Beach Fishing Pier 11 Feb (JK). A **Barn Owl** was at PHP 27 Feb (SKu, ESI, TS). **Short-eared Owl** detections included one at Ft. Monroe, Hampton 15 Dec (ph. ARa, FR), one to 2 at Messick, Poquoson 3 Jan (AH) through 20 Feb (SSw), one intermittently at Saxis, *Accomack* 18 Jan (SD) to 17 Feb (m. obs.) and one at Craney 14 Feb (ph. BT, DY). There were 2 **RED-COCKADED WOODPECKERS** on the DSCBC.

FLYCATCHERS-BUNTINGS

An **ASH-THROATED FLYCATCHER** at Crags Causeway, Virginia Beach during the BBCBC was still there 30 Dec (K&TB, ph. RBi, JS, RW). A **White-eyed Vireo** was near Little Is., for the BBCBC and one was at Naval Auxiliary Landing Field Fentress (Restricted), Chesapeake 31 Jan

(ph. KS). A **GREAT TIT** made a "second sighting on [a] backyard feeder" in Norfolk 20 Dec (ph. JH). The proximity of this bird to the Norfolk Naval Station pier complex suggested shipassisted provenance. A **Blue-gray Gnatcatcher** was at Back Bay 23 Dec (ph. JM) then 11 Jan (DP) and one was on the CCCBC. Virginia's sixth **TOWNSEND'S SOLITAIRE** was an exceptional addition to the BBCBC's final tally.



Will Russell took this cell phone shot of a Townsend's Solitaire at Back Bay during the BBCBC.

Single **Evening Grosbeaks** were in Chincoteague, Accomack 2 Dec (ph. JMa) and at Church Neck, Northampton 1 (RBi) & 2 Jan (BS). Twelve Snow Buntings were at Back Bay 2 Dec (PK, RT) then 2 were there 1 Jan (ph. RW). This species was also found from 82nd to 88th Sts., Virginia Beach 12 Dec (SK, ph. SM, TT, ph. RBi) through 5 Feb (CW) with a peak count of 16 on 26 Dec (ph. SR); 3 were at Grandview for the NNCBC and 4 were on the CBBTCBC. Noteworthy sparrow finds included a Clay-colored Sparrow at a Hobbs Rd., Virginia Beach feeder 31 Jan (GH), a Lark Sparrow at Nanney's Creek Rd., Virginia Beach 24 Feb (ph. AB, ph. RBi, ph. SM), 12 "Ipswich" Savannah Sparrows at Grandview 10 Feb (CC, NN), a **LeConte's Sparrow** at Whitehurst 23 Dec (AB), single **Lincoln's Sparrows** at Taste/Bayville farms, Virginia Beach 3 (AB, TT) to 14 Dec (KL) and at Whitehurst 10 Feb (ph. RBi), and a HARRIS'S SPARROW at Church Neck, Northampton 31 Dec (GA, TD, TF, ph. RK) ticked by m. obs. through 4 Jan. A m. Yellowheaded Blackbird was at Whitehurst 23 Dec (AB). For

a second consecutive winter a m. BULLOCK'S ORIOLE was in the Northampton neighborhood of Hampton, this season reported 5 Dec (ph. KE). Brewer's Blackbirds were chronicled at Breeze Farm, Virginia Beach 2 Jan (one-ph. SM) through 27 Feb (6-CH) with a high count of 13 on 5 Jan (ph. GR, m. obs.). At least a dozen different Blackand-white Warblers were found by m. obs. over the course of the season including 2 on the CCCBC, one on the LCCBC, and one on the NaCBC. There were 2 Nashville Warblers in Chincoteague, Accomack 29 Dec ChCBC, one at Sandy Bottom, Hampton 16 Jan (JS), and one at Windsor Pt., Norfolk 20 Jan into the spring season (ph. DC). Also of note were 2 Cape May Warblers in Hampton 28 Jan (ph. CK), a Northern Parula on the CCCBC, and a Blackpoll Warbler at Little Is. for the BBCBC. An "Audubon's" Yellow-rumped Warbler was documented off Deep Creek Rd., Accomack 7 & 22 Dec (ph. SS, VS). A **Yellow-throated Warbler** visited a feeder in the Pembroke section of Virginia Beach for a third consecutive winter; it was first noted this season 6 Dec (ph. MS) "the same day LAST (sic) December!". Additional confirmations of this species were one at a feeder near Larkwood Dr., Virginia Beach 28 Dec to at least 22 Jan (ph. RR), one at Back Bay 31 Dec (ph. DC), one at Chinc. 1 Jan (ph. CD), and one in Kempsville, Virginia Beach 20 Jan (ph. UD). Single Prairie Warblers were reported at Whitehurst 16 Dec (ph. RBi) and near Townsend, Northampton 26 Feb (MAB). A f.type Summer Tanager was at a feeder in the Greenbrier East section of Chesapeake 9–20 Dec (ph. JP). A f. Western **Tanager** was at L. Windsor, Virginia Beach 13 Dec to 22 Jan (ph. LR) and a m. was at Butler's Bluff, Northampton for the CCCBC. A Rose-breasted Grosbeak at a Kempsville, Virginia Beach feeder 5 Dec (ph. UD) was a day ahead of an Indigo Bunting at Back Bay 6 Dec (ph. JM). Among at least 13 Painted Buntings reported in the Region was a f. at Sandy Bottom, Hampton 11 Dec (ph. MN) and a high count of 4 "on private property" in Virginia Beach 7 Jan (ph. PM).

Contributors: James Abbott, Bob Ake, Logan Anderson, Matt Anthony, George Armistead, Harry Armistead, Andrew Baldelli, Baxter Beamer, Karen and Tom Beatty, Rob Bielawski (RBi), Ruth Boettcher (RBt), David Bridge, Charlie Bruggemann, Allen Bryan (ABr), Mitchell A. Byrd, Courtney Check, Linda Chittum, David Clark, Anne Pitchford Coia, Tammy Conklin, Una Davenhill, Todd Day, Sally Dick, Adam D'Onofrio, Cindee DuBey, Kim Edwards, Tom Feild (TFe), Todd Fellenbaum, Marie Furnish, James Fox, David Gibson, Cindy Hamilton, George Harris, Michael Hartley, Andy Hawkins, Jacqueline Hite, Stephen Keith, Roberta Kellam, Phil Kenny, Jessica Klotz, Cary Koronas, Shawn Kurtzman (SKu), Tommy Maloney, Kathy Louthan, Frank Marenghi (FMr), Jennifer Marenghi (JMr), Joel Martin (JMa), June McDaniels, Alex Minarik, Pam Monahan, Greg Moyers, Steve Myers, Nick Newberry, Marc Nichols, Michael O'Brien, Clark Olsen, Melanie Parker (MeP), Michael Parker (MiP), Daniel Patrick, Michelle Payne, Jessica Price, Alexis Rabon, Andrew Rapp (ARa), Fave Reid, Susan Remmi, Garrett Rhyne, Kathy Richardson (KRi), Keith Roberts, Suzanne Roberts (SRo), Reuben Rohn, Lisa Rose, Will Russell, Jason Schatti (JSc), Lee Schuster, Magee Smith, Stephanie Smith, Virginia Smith, Dixie Sommers, Jason Sosebee (JSo), Ezra Staengl, Theo Staengl, Robert Steele, Jason Strickland, Paul Sumner, Karl Suttmann, Stuart Sweetman (SSw), Bob Swiader, Brian Taber, Russell Taylor, Matt Wangerin, Bill Williams, Cathy Williamson, Robert Wood, Dave Youker